


DAVID Y. IGE
GOVERNOR



HAKIM OUANSAFI
EXECUTIVE DIRECTOR

STATE OF HAWAII
DEPARTMENT OF HUMAN SERVICES
HAWAII PUBLIC HOUSING AUTHORITY
1002 NORTH SCHOOL STREET
POST OFFICE BOX 17907
Honolulu, Hawaii 96817

BARBARA E. ARASHIRO
EXECUTIVE ASSISTANT
IN REPLY PLEASE REFER TO:
19:CPO/263

September 16, 2019

TO: Interested Parties

FROM: Rick T. Sogawa 
Procurement Officer

SUBJECT: Request-for-Proposals No. PMB-2019-06, Furnish and Deliver New Vehicles to the Hawaii Public Housing Authority on Oahu, Kauai, Maui, Molokai, and Hawaii Island; Addendum No. 3

This Addendum No. 3 is to amend the RFP as follows:

1. Section 1,VII.2.Submission of Sealed Proposals, page 2 is hereby amended as follows:

Proposal Submittal. Proposals must be received or hand delivered by ~~Monday, September 16, 2019~~ **Wednesday, September 25, 2019**. Any proposals received after the designated date and time shall be rejected. **Electronic submissions such as electronic mail and facsimile transmissions shall not be accepted.**

2. Section 2, IV.B.Technical Specifications,1.a.iii, pages 24, 26, 29, and 31 is hereby amended as follows:

Vehicles may need to comply with the U.S. Department of Energy's Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be ~~Flexible-Fuel vehicles~~ Alternative Fueled Vehicles (AFV). ~~with a common fuel tank designed to run on varying blends of unleaded gasoline with either ethanol or methanol.~~ All vehicles must be designed to operate on one (1) of the following fuels:

3. Section 2, IV.B.Technical Specifications.1.a.ix.Interior, pages 25, 27, 30, and 32 is hereby amended as follows:

- **Adaptive "Cruise Control"**

AN EQUAL OPPORTUNITY AGENCY
Providing Housing Assistance and Programs Free from Discrimination

4. Section 2, IV.B.Technical Specifications.xi.Exterior, pages 26, 28, and 30 is hereby amended as follows:
 - "Side Mount Tool Boxes; type – Stainless Steel **or Aluminium**, 72" Long x 12" Deep x 16" High"
5. Section 2, IV.B.Technical Specifications.v.Body/Cab, page 29 is hereby amended as follows:
 - "Crew **Access** Cab with Four (4) Doors, Eight (8) Foot Bed
(Quantity: Group A: Oahu – Nine (9); Group D: Maui – Four (4); Group E: Molokai – One (1))
Crew **Access** Cab with Four (4) Doors, Six (6) Foot Bed
(Quantity: Group A: Oahu – One (1); Group B: Hawaii Island – One (1); Group E: Molokai – One (1))"
6. Section 2, IV.B.Technical Specifications.xii.Tailgate, pages 26, 28, and 30 is hereby amended as follows:
 - "Powerlift; 55" x 38"; Two (2) Piece Aluminum Platform; ~~1500~~ **1300** lbs Capacity"
7. Section 2, IV.B.Technical Specifications.v.Body/Cab, page 31 is hereby amended as follows:
 - Crew "**Access** Cab with Four (4) Doors, Six (6) Foot Bed
(Quantity: Group A: Oahu – 12; Group D: Maui – Two (2)) Access Cab with 2 Doors, 8 Foot Bed
(Quantity: 1 – Kauai)
Access Cab with Two (2) Doors, Six (6) Foot Bed
(Quantity: Group A: Oahu – 11; Group B: Hawaii Island – Two (2))
8. Attachment 2 – Minimum Specifications List is hereby replaced by Attachment 2a – Minimum Specifications List (Rev. 9/16/2019).
9. All other terms of the RFP, as amended, shall remain in full force and effect.

If you have any questions, please call contact Rick Sogawa, RFP Coordinator at (808) 832-6038. Thank you for your attention to this matter.



MINIMUM SPECIFICATIONS LIST

NEW FULL SIZE PICK TRUCK – 1-TON

Model Year: 2019 or Newer _____

Model: Ford F-350/450, Chevrolet
Silverado 3500 or Similar _____

1. MINIMUM SPECIFICATIONS

a. Engine: 6.2 Liter _____
Eight (8) Cylinder _____

Vehicles may need to comply with the U.S. Department of Energy's Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be ~~Flexible Fuel vehicle~~ **Alternate Fueled Vehicles (AFV)** with a common fuel tank designed to run on varying blends of unleaded gasoline with either ethanol or methanol. ~~All vehicles~~ **and** must be designed to operate on one (1) of the following fuels:

All Gas	yes	no
Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to a 100% gasoline (E85)	yes	no
Dedicated compressed natural gas only (CNG)	yes	no
Bi-Fuel, compressed natural gas or gasoline (CNG2)	yes	no
Total Electric power from rechargeable batteries (Electric)	yes	no
Liquid Natural Gas "bi-fuel" (LNG2)	yes	no
Dedicated liquid propane only (LPG)	yes	no
Bi-Fuel liquid propane gas or Gasoline (LPG2)	yes	no

b. Transmission: Six (6)-Speed Automatic _____
Rear Wheel Drive, with Overdrive
and Tow/Haul Mode _____

c. Body/Cab: Crew Cab With Four (4) Doors,
Eight (8) Foot Bed _____
GVWR 10,001 – 14,000 _____

d. Mechanical: Power Four (4)-Wheel Disc Brakes
with Rear Anti Lock Brakes _____
Front Disc _____
Power Rack and Pinion Steering _____
Hood Open Assist Mechanisms _____

DUE: September 25, 2019; 4:00 pm, HST

- | | | | |
|----|------------------|--|-------|
| e. | Wheels: | LT245 Radial Tires | <hr/> |
| | | Full Size Spare Tire with Underframe | <hr/> |
| | | Jack and Wheel Wrench | <hr/> |
| f. | Suspension: | Axles, Springs, and Shock Absorbers | |
| | | Must Meet Manufacturer's and Federal GAWR requirements | <hr/> |
| g. | Interior: | Five (5) Passenger Seating Capacity with Seat Belt Positions | <hr/> |
| | | Adaptive Cruise Control | <hr/> |
| | | Adjustable Steering Wheel | <hr/> |
| | | Air Conditioning | <hr/> |
| | | AM/FM Radio | <hr/> |
| | | Auxiliary Port | <hr/> |
| | | Standard Vinyl Upholstery | <hr/> |
| | | Keyless Entry | <hr/> |
| | | Power Windows/Door Locks | <hr/> |
| | | Standard Floor Mats | <hr/> |
| | | Vehicle Anti-Theft System | <hr/> |
| h. | Safety/Security: | Dual Front Air Bags (SRS) | <hr/> |
| | | Safety Belt Pretensioners | <hr/> |
| | | Belt Usage Sensors/Reminders | <hr/> |
| | | Alert Chimes (Rear Parking Aid) | <hr/> |
| | | Side Intrusion Door Beams | <hr/> |
| | | On Board Hands Free Communication System | <hr/> |
| | | Back Up Camera | <hr/> |
| i. | Exterior: | Color: Factory White or Silver (White Preferred) | <hr/> |
| | | Dual Outside Mirrors | <hr/> |
| | | Factory Tinted Glass; All Windows | <hr/> |
| | | Auto Headlamps | <hr/> |
| | | Rear and Brake Lamps | <hr/> |
| | | Tow Hitch | <hr/> |
| | | Trailer Package w/Power Source in Bumper | <hr/> |
| | | Windshield Wipers with Variable Speed | <hr/> |
| | | Drop In Bed Liner Over Rail | <hr/> |
| | | Metal Ladder Racks | <hr/> |

- Side Mount Tool Boxes; Type – Stainless Steel **or Aluminum**, 72” Length x 12” Deep x 16” High _____
- j. Tailgate: Powerlift; 55” x 38”; Two Piece Aluminum Platform; 1500 lbs Capacity _____
- k. Other: Operator’s Manual _____
- Mileage Shall Not Exceed 500 Miles at Time of Delivery _____
- Shop Repair Manual or Owner’s Manual (2 sets) or Approved Substitute _____
- Vehicle Safety Inspection not less than 30 Days of Expiration at Time of Delivery _____
- Two (2) Sets of Keys _____
- Back Up Alarm _____
- Seven (7) Year/84,000 Miles Extended Warranty _____
- Quarterly Routine Maintenance _____

2. OPTIONAL (~~One (1)~~ Two (2) Additional Point Each)

- On Board Navigational System _____
- Power Folding Mirrors _____
- Running Board(s) _____
- Tiptronic Automatic Transmission _____
- Spray On Bed Liner Over Rails _____
- Weather Terrain Floor Mats _____
- Engine Size, Larger than Minimum _____
- Extended Warranty, Greater than Minimum _____
- Extended Routine Maintenance, Greater than Minimum _____
- Other: _____
- Other: _____
- Other: _____
- Other: _____
- Other: _____

NEW FULL SIZE PICK TRUCK – 3/4-TON

Model Year: 2019 or Newer _____

Model: Ford F-250/450, Chevrolet
Silverado 2500, GMC
Sierra 2500 or Similar _____

1. MINIMUM SPECIFICATIONS

a. Engine: 6.2 Liter _____
Six (6) Cylinder _____

Vehicles may need to comply with the U.S. Department of Energy's Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be ~~Flexible-Fuel vehicles~~ **Alternate Fueled Vehicles (AFV)** with a common fuel tank designed to run on varying blends of unleaded gasoline with either ethanol or methanol. ~~All vehicles~~ **and** must be designed to operate on one (1) of the following fuels:

All Gas	yes	no
Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to a 100% gasoline (E85)	yes	no
Dedicated compressed natural gas only (CNG)	yes	no
Bi-Fuel, compressed natural gas or gasoline (CNG2)	yes	no
Total Electric power from rechargeable batteries (Electric)	yes	no
Liquid Natural Gas "bi-fuel" (LNG2)	yes	no
Dedicated liquid propane only (LPG)	yes	no
Bi-Fuel liquid propane gas or Gasoline (LPG2)	yes	no

b. Transmission: Six (6)-Speed Automatic _____
Rear Wheel Drive with Overdrive
and Tow/Haul Mode _____
Four (4) Wheel Drive (one (1) each for
Group B, Group C and Group D) _____

c. Body/Cab: Crew Cab With 4 Doors,
Eight (8) Foot Bed / Six (6) Foot Bed _____
GVWR 6,001 – 10,000 _____

d. Mechanical: Power Four (4)-Wheel Disc Brakes
with Rear Anti Lock Brakes _____
Front Disc _____
Power Rack and Pinion Steering _____
Hood Open Assist Mechanisms _____

- | | | | |
|----|------------------|--|-------|
| e. | Wheels: | LT245 Radial Tires | _____ |
| | | Full Size Spare Tire with Underframe | _____ |
| | | Jack and Wheel Wrench | _____ |
| f. | Suspension: | Axles, Springs, and Shock Absorbers | |
| | | Must Meet Manufacturer's and Federal | |
| | | GAWR requirements | _____ |
| g. | Interior: | Five (5) Passenger Seating Capacity with | |
| | | Seat Belt Positions | _____ |
| | | Adaptive Cruise Control | _____ |
| | | Adjustable Steering Wheel | _____ |
| | | Air Conditioning | _____ |
| | | AM/FM Radio | _____ |
| | | Auxiliary Port | _____ |
| | | Keyless Entry | _____ |
| | | Standard Vinyl Upholstery | _____ |
| | | Power Windows/Door Locks | _____ |
| | | Standard Floor Mats | _____ |
| | | Vehicle Anti-Theft System | _____ |
| h. | Safety/Security: | Dual Front Air Bags (SRS) | _____ |
| | | Safety Belt Pretensioners | _____ |
| | | Belt Usage Sensors/Reminders | _____ |
| | | Alert Chimes (Rear Parking Aid) | _____ |
| | | Side Intrusion Door Beams | _____ |
| | | On Board Hands Free Communication | |
| | | System | _____ |
| | | Back Up Camera | _____ |
| i. | Exterior: | Color: Factory White or Silver | |
| | | (White Preferred) | _____ |
| | | Dual Outside Mirrors | _____ |
| | | Factory Tinted Glass; All Windows | _____ |
| | | Auto Headlamps | _____ |
| | | Rear and Brake Lamps | _____ |
| | | Tow Hitch | _____ |
| | | Trailer Package w/Power Source in | |
| | | Bumper | _____ |

DUE: September 25, 2019; 4:00 pm, HST

	Windshield Wipers with Variable Speed	_____
	Drop In Bed Liner Over Rail	_____
	Metal Ladder Racks	_____
	Side Mount Tool Boxes; Type – Stainless Steel or Aluminum , 72” Length x 12” Deep x 16” High	_____
j.	Tailgate:	
	Powerlift; 55” x 38”; Two Piece Aluminum Platform; 1500 lbs Capacity	_____
k.	Other:	
	Operator’s Manual	_____
	Mileage Shall Not Exceed 500 Miles at Time of Delivery	_____
	Shop Repair Manual (2 sets), Owner’s Manual or Approved Substitute	_____
	Vehicle Safety Inspection Not Less Than 30 Days of Expiration At Time of Delivery	_____
	Two (2) Sets of Keys	_____
	Back Up Alarm	_____
	Seven (7) Year/84,000 Miles Extended Warranty	_____
	Quarterly Routine Maintenance	_____

2. OPTIONAL (Two (2) Additional Points Each)

On Board Navigational System	_____
Power Folding Mirrors	_____
Running Board(s)	_____
Tiptronic Automatic Transmission	_____
Spray On Bed Liner Over Rails	_____
Weather Terrain Floor Mats	_____
Engine Size, Larger than Minimum	_____
Extended Warranty, Greater than Minimum	_____
Extended Routine Maintenance, Greater than Minimum	_____
Other:	_____
Other:	_____
Other:	_____
Other:	_____
Other:	_____

NEW FULL SIZE PICK TRUCK – 1/2-TON

Model Year: 2019 or Newer _____

Model: Ford F-150/450, Chevrolet
Silverado 1500, GMC Sierra
1500, Dodge Ram 1500,
Toyota Tundra, Nissan
Titan or Similar _____

1. MINIMUM SPECIFICATIONS

a. Engine: 3.5 Liter _____

Six (6) Cylinder _____

All vehicles shall comply with the U.S. Department of Energy's Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be ~~Flexible Fuel vehicles~~ **Alternate Fueled Vehicles (AFV)** with a common fuel tank designed to run on varying blends of unleaded gasoline with either ethanol or methanol. All vehicles **and** must be designed to operate on one (1) of the following fuels:

All gas	yes	no
Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to a 100% gasoline (E85)	yes	no
Dedicated compressed natural gas only (CNG)	yes	no
Bi-Fuel, compressed natural gas or gasoline (CNG2)	yes	no
Total Electric power from rechargeable batteries (Electric)	yes	no
Liquid Natural Gas "bi-fuel" (LNG2)	yes	no
Dedicated liquid propane only (LPG)	yes	no
Bi-Fuel liquid propane gas or Gasoline (LPG2)	yes	no

b. Transmission: Six (6)-Speed Automatic _____

Rear Wheel Drive, With Overdrive
and Tow/Haul Mode _____

c. Body/Cab: ~~Crew~~ **Access** Cab With 4 Doors,
Eight (8) Foot Bed / Six (6) Foot Bed _____

GVWR 6,001 – 10,000 _____

d. Mechanical: Power Four (4)-Wheel Disc Brakes
with Rear Anti Lock Brakes _____

Front Disc _____

Power Rack and Pinion Steering _____

Hood Open Assist Mechanisms _____

DUE: September 25, 2019; 4:00 pm, HST

- | | | | |
|----|------------------|--|-------|
| e. | Wheels: | LT245 Radial Tires | _____ |
| | | Full Spare Tire with Underframe | _____ |
| | | Jack and Wheel Wrench | _____ |
| f. | Suspension: | Axles, Springs, and Shock Absorbers | |
| | | Must Meet Manufacturer's and Federal | |
| | | GAWR requirements | _____ |
| g. | Interior: | Five (5) Passenger Seating Capacity with | |
| | | Seat Belt Positions | _____ |
| | | Adaptive Cruise Control | _____ |
| | | Adjustable Steering Wheel | _____ |
| | | Air Conditioning | _____ |
| | | AM/FM Radio | _____ |
| | | Auxiliary Port | _____ |
| | | Standard Vinyl Upholstery | _____ |
| | | Keyless Entry | _____ |
| | | Power Windows/Door Locks | _____ |
| | | Standard Floor Mats | _____ |
| | | Vehicle Anti-Theft Systems | _____ |
| h. | Safety/Security: | Dual Front Air Bags (SRS) | _____ |
| | | Safety Belt Pretensioners | _____ |
| | | Belt Usage Sensors/Reminders | _____ |
| | | Alert Chimes (Rear Parking Aid) | _____ |
| | | Side Intrusion Door Beams | _____ |
| | | On Board Hands Free Communication | |
| | | System | _____ |
| | | Back Up Camera | _____ |
| i. | Exterior: | Color: Factory White or Silver | |
| | | (White Preferred) | _____ |
| | | Dual Outside Mirrors | _____ |
| | | Factory Tinted Glass; All Windows | _____ |
| | | Auto Headlamps | |
| | | Rear and Brake Lamps | _____ |
| | | Tow Hitch | _____ |
| | | Windshield Wipers with Variable Speed | _____ |
| | | Drop In Bed Liner Over Rail | _____ |

DUE: September 25, 2019; 4:00 pm, HST

- | | | | |
|----|-----------|---|-------|
| | | Metal Ladder Racks | _____ |
| | | Side Mount Tool Boxes; Type – Stainless Steel or Aluminum , 72” Length x 12” Deep x 16” High | _____ |
| j. | Tailgate: | Powerlift; 55” x 38”; Two Piece Aluminum Platform; 1500 1300lbs Capacity | _____ |
| k. | Other: | Operator’s Manual | _____ |
| | | Mileage Shall Not Exceed 500 Miles at Time of Delivery | _____ |
| | | Shop Repair Manual (2 sets), Owner’s Manual or Approved Substitute | _____ |
| | | Vehicle Safety Inspection Not Less Than 30 Days of Expiration At Time of Delivery | _____ |
| | | Two (2) Sets of Keys | _____ |
| | | Back Up Alarm | _____ |
| | | Seven (7) Year/84,000 Miles Extended Warranty | _____ |
| | | Quarterly Routine Maintenance | _____ |

2. Optional (Two (2) Additional Points Each)

- | | |
|--|-------|
| On Board Navigational System | _____ |
| Power Folding Mirrors | _____ |
| Running Board(s) | _____ |
| Tiptronic Automatic Transmission | _____ |
| Spray On Bed Liner Over Rails | _____ |
| Weather Terrain Floor Mats | _____ |
| Engine Size, Larger than Minimum | _____ |
| Extended Warranty, Greater than Minimum | _____ |
| Extended Routine Maintenance, Greater than Minimum | _____ |
| Other: | _____ |
| Other: | _____ |
| Other: | _____ |
| Other: | _____ |
| Other: | _____ |

NEW FULL SIZE PICK TRUCK – STANDARD

Model Year: 2019 or Newer

Model: Ford Ranger, Chevrolet
Colorado, Toyota Tacoma
or Similar**1. MINIMUM SPEIFICATIONS**

a. Engine: 2.7 Liter

Four (4) Cylinder

All vehicles shall comply with the U.S. Department of Energy's Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be ~~Flexible Fuel vehicles~~ **Alternate Fueled Vehicles (AFV)** with a common fuel tank designed to run on varying blends of unleaded gasoline with either ethanol or methanol. ~~All vehicles~~ **and** must be designed to operate on one (1) of the following fuels:

All Gas**yes no**Flexible fuel ratio ranging from a maximum of 85% ethanol
and 15% gasoline to a 100% gasoline (E85)

yes no

Dedicated compressed natural gas only (CNG)

yes no

Bi-Fuel, compressed natural gas or gasoline (CNG2)

yes no

Total Electric power from rechargeable batteries (Electric)

yes no

Liquid Natural Gas "bi-fuel" (LNG2)

yes no

Dedicated liquid propane only (LPG)

yes no

Bi-Fuel liquid propane gas or Gasoline (LPG2)

yes no

b. Transmission: Six (6)-Speed Automatic

Rear Wheel Drive, with Overdrive
and Tow/Haul Modec. Body/Cab: ~~Crew Access~~ Cab With Four (4) Doors /
Access Cab with Two (2) Doors, Six (6)
Foot Bed

GVWR 6,000 or Less

d. Mechanical: Power Four (4)-Wheel Disc Brakes
With Rear Anti Lock Brakes

Front Disc

Power Rack and Pinion Steering

Hood Open Assist Mechanisms

- | | | | |
|----|------------------|--|-------|
| e. | Wheels: | LT245 Radial Tires | _____ |
| | | Full Spare Tire with Underframe | _____ |
| | | Jack and Wheel Wrench | _____ |
| f. | Suspension: | Axles, Springs, and Shock Absorbers | |
| | | Must Meet Manufacturer's and Federal GAWR requirements | _____ |
| g. | Interior: | Five (5) Passenger Seating Capacity with | |
| | | Seat Belt Positions on Crew Cab (Crew | |
| | | (Cab with 4 Doors) and Two (2) Passenger | |
| | | Seating with Seat Bel Positions on Crew | |
| | | Cab (Extended Cab with 2 Doors) | _____ |
| | | Adaptive Cruise Control | _____ |
| | | Adjustable Steering Wheel | _____ |
| | | Air Conditioning | _____ |
| | | AM/FM Radio | _____ |
| | | Auxiliary Port | _____ |
| | | Standard Vinyl Upholstery | _____ |
| | | Keyless Entry | _____ |
| | | Power Windows/Door Locks | _____ |
| | | Standard Floor Mats | _____ |
| | | Vehicle Anti-Theft System | _____ |
| h. | Safety/Security: | Dual Front Air Bags (SRS) | _____ |
| | | Safety Belt Pretensioners | _____ |
| | | Belt Usage Sensors/Reminders | _____ |
| | | Alert Chimes (Rear Parking Aid) | _____ |
| | | Side Intrusion Door Beams | _____ |
| | | On Board Hands Free Communication | |
| | | System | _____ |
| | | Back Up Camera | _____ |
| i. | Exterior: | Color: Factory White or Silver | |
| | | (White Preferred) | _____ |
| | | Dual Outside Mirrors | _____ |
| | | Factory Tinted Glass; All Windows | _____ |
| | | Auto Headlamps | _____ |
| | | Rear and Brake Lamps | _____ |
| | | Tow Hitch | _____ |
| | | Windshield Wipers with Variable Speed | _____ |

DUE: September 25, 2019; 4:00 pm, HST

	Drop In Bed Liner Over Rail	_____
j.	Other:	
	Operator's Manual	_____
	Mileage Shall Not Exceed 500	
	Miles at Time of Delivery	_____
	Shop Repair Manual, Owner's Manual	
	(2 sets) Manual or Approved Substitute	_____
	Vehicle Safety Inspection Not Less Than	
	30 Days of Expiration At Time of Delivery	_____
	Two (2) Sets of Keys	_____
	Back Up Alarm	_____
	Seven (7) Year/84,000 Miles Extended	
	Warranty	_____
	Quarterly Routine Maintenance	_____

2. Optional (Two (2) Additional Points Each)

On Board Navigational System	_____
Power Folding Mirrors	_____
Running Board(s)	_____
Tiptronic Automatic Transmission	_____
Spray On Bed Liner Over Rails	_____
Weather Terrain Floor Mats	_____
Engine Size, Larger than Minimum	_____
Extended Warranty, Greater than	
Minimum	_____
Extended Routine Maintenance, Greater	
than Minimum	_____
Other:	_____
Other:	_____
Other:	_____
Other:	_____
Other:	_____